

SB201

VIRTUAL CERTIFICATION



In order to prepare for your dry run, please review the items and camera angles that are below. We ask that there be no more than (3) testers to (1) camera for the written examination to ensure we can see each technician and laptop clearly. Please mark your camera angles with blue tape prior to your dry run appointment. If you are unable to effectively complete a dry run, any items that were not successfully checked will be your responsibility to take care of prior to your virtual class date. This dry run process helps both the technician and the instructor create a better testing environment and ensures the best possible virtual class experience.

Connection (Download Zoom Application)

- ☐ Video
- ☐ Audio
- ☐ Constant Connection

Setup

- ☐ Clean Testing Space with minimum interruptions
- ☐ Tripod/Cell Phone Mount Placement
- ☐ Computer/Laptop and Equipment Placement

Equipment – SB201

Tex-113-E

- ☐ Automatic Compaction Device equipped with the TxDOT approved Soil Compactor Analyzer
- ☐ 6" Compaction Mold, Base Plate & collar
- ☐ 10 lbs Slide Finishing Hammer
- ☐ Mixing Pans/Bowls with Lids
- ☐ 6" Porous Stone & Non-porous Paper Disc
- ☐ Putty Knife, Spatula, Brush, Rubber Mallet and Bubble Level
- ☐ Hydraulic Jack Press - Sample Extruder
- ☐ Scale
- ☐ 7/8" Sieve
- ☐ Flex Base pre-sieved for recombining (at least 18 lbs.)
- ☐ Sprinkler Jar & water

Tex-114-E

- ☐ Automatic Compaction Device
- ☐ 4" or 6" Compaction Mold, Base Plate & Collar
- ☐ 4" or 6" Porous Stone & Non-porous Paper Disc
- ☐ Subgrade material at least 6 lbs. (for 4" mold) or approx. 22 lbs. (for 6" mold)

Pre-mix the materials with your estimated moisture

Camera Angles



